

International Green Co.



"We export Our Products All around the Globe, We offer Economic & Good Quality Plywood"

Our Mission:

"Building shareholder value by commercializing solutions throughout the world for the construction, manufacturing and furniture industries"

Our Vision:

"We are committed to satisfy our customer needs by getting them what they need, when they need it, with unmatched quality in our services and products"

Our Values:

- Accountability
- Integral communication
- Teamwork
- Passion
- Discipline
- Respect
- Adaptation
- Continuous Improvement



INTERNATIONAL GREEN

International Green Co. has always been driven by its vision of being *an international leader in both production and distribution of sustainable forest products.*

Founded 25 years ago, we possess a vast experience that helps us offer our clients a world-class service, high quality products, and competitive prices. Our main objective has always been offering the best alternatives and solutions to all our wood product seeking clients.

Ever since it was created, *International Green Co.* started firming international joint ventures with sawmills and manufacturing plants in North, Central, and South America, Africa, Europe, and Asia.



Our Products :

- *Xava* 2.5mm, 2.7mm, 6mm, 9mm, 12mm, 15m and 18mm
- *Bitex* 2.5 mm
- *R. Ply* (Radiaply or Radiata Pine) 6mm, 9mm, 12mm, 15mm and 18mm
- *W. Poplar* 2.7mm, 6mm, 9mm, 12mm, 15m and 18mm
- *Packaging Plywood* 4mm, 5mm, 9mm, 12mm, 15mm and 18mm
- *Okume* 2.7 and 5mm
- *MDF Vitoria – Omega* 3 mm, 6mm, 9mm, 12mm, 15m and 18mm
- *Meranti Zulu* 2.7mm
- *Meranti* 2.7mm, 3mm and 6 mm
- *Osb Forte* 3 mm, 6mm, 9mm, 12mm, 15m and 18mm
- Others: *Veneers, Flooring and Timber.*



W. POPLAR





High quality veneered panel. Ideal for carpentry and/or furniture making. It is made of tropical red hardwood core with a special treatment, the core is brushed and pressed twice to ensure that the face and backface don't separate, which guarantee its durability, stability and easy usage.

- Advantages: Kilned cores made with high machinery, polished faces, stable components, durable, nails and screws can be applied easily, permeable
- Humidity between 12% to 14%
- Uses: Furniture, Carpentry and Interior Designs
- Quality BB/CC
- Dimensions: 1.22m x 2.44m (4x8)
- Thickness: 2.5mm, 2.7mm, 6mm, 9mm, 12mm, 15mm, 18mm
- Glue: Ureic E2 (Non Toxic)





Bitangor Plywood , a low cost material of high esthetic standards that can be used for general carpentry. Its great advantage is that during its production is done using IG signature quality process. It has a full poplar core, double hot pressed, cold pressed, sown core, and its core also is kilned and dried which gives the Bitangor Plywood a great resistance and an excellent layer unity.



- Advantages: Poplar Core, Polished faces, Stable Components and durable, excellent price
- Uses: Furniture, Carpentry
- Quality: BB/CC
- Dimensions: 1.22mx2.44m (4x8)
- Thickness: 2.5mm
- Density: 500kg/m³
- Color: Red
- Glue: Ureic E2 (Non Toxic)
- Humidity: Between 8% to 16%



INTERNATIONAL GREEN



Radiata Pine Plywood with a clean surface, free of knots. It is known for its clear color and the stability provided by the extra veneered layers. Its high texture, polished, and two usable faces give this product added value. Measurements 12mm thick and over have an extra hardwood core.

- Advantages: Excellent manufacture, two polished faces, uniform veta, kilned core, easy to work with.
- Uses: Furniture, Carpentry, Packaging Paper, Flooring, Containers, Coatings, Construction, etc.
- Quality B/C
- Dimensions: 1.22m x 2.44m (4x8)
- Core: Layers placed perpendicularly
- Glue: E2 (Non Toxic)
- Thickness: 6mm, 9mm, 12mm, 15mm and 18mm



Tropical Plywood specie with Eucalyptus core. It has a reddish tone. Kilned Core which gives resistance, is ideal for door manufacturing, packaging. It has two polishing faces process, which gives to the product very good appearance.

- Advantages: Polished Surfaces, Permeable, Screwed and nailed without problem
- Uses: Manufacture of doors, drawers, cabinets and general carpentry
- Quality: BB/CC
- Color: Reddish
- Dimensions: 0.92m x 2.14m (3 x 7)
- Thickness: 2.7mm and 5mm
- Density: 530 kg/m³



INTERNATIONAL GREEN

MERANTI ZULU®



Meranti Zulu is a reddish good looking plywood, its faces are completely sanded, its core is made of red hardwoods, kilned, dried and sown. The material is also double hot pressed in order to give to it a higher resistance and strength. This also allows to its layers to have better unity and adhesion. Everything is combined and joined using E2 Ureic Glue. Meranti Zulu is an excellent alternative for structural furniture making and general carpentry.

- Advantages: Kilned Cores, Polished Faces, Stable Components and Durable
- Uses: Furniture and Carpentry
- Quality BB/CC
- Dimensiones: 1.22m x 2.44m (4 x 8)
- Thickness: 2.7 mm
- Density: 670 kg/m³
- Color: Reddish
- Glue: E2 Ureic (Non Toxic)
- Humidity: 8% to 16%



INTERNATIONAL GREEN



Packaging Plywood is highly durable and resistant, its face and backface are made up of a redhardwood C/D grade veneer. Its core is 100% of Eucalyptus, which adds density and resistance to the board. The product is hot pressed twice for a perfect adhesion between the components. We select the most uniform pieces for and we add a couple of extra layers to give it extra strength, resistance and density. Apart from that, the products technical specifications allow the consumer to easily add nails and screws if needed, making this job easier.

- Advantages: Kilned core, highly resistant and durable, perfect for screwed or nailed to work with it, without no problem
- Uses: Packaging, General Carpentry, Boxes, Pallets
- Humidity: Between 8% to 18%
- Quality C/D
- Color: Reddish
- Dimensions: 1.22m and 2.44m (4 x 8)
- Density: 530kg/m³
- Thickness: 4mm, 5mm, 9mm, 12mm, 15mm and 18mm
- Glue: E2 (Non Toxic)



INTERNATIONAL GREEN



Caobilla Monarca is a high quality veneered board made from Meranti, Selaya and Luan Species from Malaysia. It is ideal for carpentry and furniture. It has kilned-dried and sown core which guarantees its high quality, performance and stability. Its face and backface are made of the same species, giving it an added stability. It also has an excellent smooth surface, and good mechanical properties.

- Advantages: Kilned-dried cores, polished faces, high stability
- Uses: Furniture, Carpentry
- Quality: BB/CC
- Dimensions: 1.22m x 2.44m (4x8)
- Thickness: 2.7mm, 3mm and 6mm
- Glue: Ureic E2 (Non Toxic)
- Core: Mixed Tropical Hardwoods
- Color: Reddish and Pinkish Color



INTERNATIONAL GREEN



W. POPLAR[®]



Made of Alamo, which has a fine, uniform and smooth texture, besides being light is very strong. Comes with a polishing process core and eucalyptus species.

It has a straight grain and a fantastic white / cream tone which delivers outstanding contrast. Both sides are fully usable as they are finely polished and that makes ready for use, plus it can work screwed, nailed and machined without any problem.

- Advantages: Screws and nails applied easily, very good dimensional stability, and thermal insulator.
- Glue: E2 Non Toxic
- Density: 520 Kg/m³ – 620 kg/m³
- Quality BB/CC
- Uses: Furniture, Doors, Moldings, Cabinet Making, Saunas, Kitchenware, Guitars, Toothpicks.
- Thickness: 2.7mm, 6mm, 9mm, 12mm, 15mm and 18mm
- Core: Red Hardwood



INTERNATIONAL GREEN



The MDF Vitoria Omega is a well made board comprised of Ponderosa Pine. It has a perfect mix for the excellent physical-mechanical results that the industry requires. Has a clear beige hue and high strenght due to its high standard design, more than 650 kg/m³ density in thickness of 9 to 18mm and up to 800kg/m³ in the thickness of 3 and 6mm (HDF).

The MDF Vitoria Omega is perfect for making long lasting furniture and has great resistance. Besides their physical characteristics, is good for molding and screws, helping to reduce using cutting tools and reducing the absorption of paint.

- Advantages: Made of Ponderosa , Pine and Eucalyptus, Resistant, Screw and die without problem.
- Applications: Interiors, Carpentry, Drawers, Panels, Coatings, Screens, Ceilings, Furniture Structure
- Quality: Premium
- Color: Brown
- Dimensions: 1.22m x 2.44m (4x8)
- Density: 650kg/m³
- Glue: formaldehyde
- Thickness: 3mm, 6mm, 9mm, 12mm, 15mm and 18mm
- Humidity: Between 4 to 11%





It is a structural product formed by chips or wood chips as a cross aligned to increase strength and rigidity higher layers. These chips are mixed with adhesives and chemicals by a heat press pressure likewise provides better insulation, high absorption, high stability, resistance to moisture and is easy to work. It is made from renewable materials that are environmentally friendly and they are certified Forest Management.

Humidity: 8% to 18%.

Advantages: insulation, high absorption, moisture resistance, very stable, resistant and rigid board.

Uses: construction, structure, pallets, boxes, crates, stand, inside trailers, industrial uses.

Quality: OSB / 3

Color: cream

Dimensions: 1.22m and 2.44m (4x8)

Density: 459 kg / m³

Thickness: 12mm

Glue: Phenolic resin

Thickness: 3mm, 6mm, 9mm, 12mm, 15mm and 18mm

Density: 650 kg / m³

Glue: Formaldehyde

Moisture: from 4 to 11%

Contact information:

For more information related with our Company please visit our webpage

<http://www.internationalgreenco.com/>

Sales Representatives

Time Zone in America

Jorge Leija Román, Mauricio Hinojosa G. and/ or Juan José Espir González (English and Spanish)

Tel: 52 818 3710339, 52 818 373 53 53, 52 818 373 12 09, 52 818 373 12 10, 818 373 38 51

Mail: jleija@internationalgreenco.com; mhg@internationalgreenco.com; sales@internationalgreenco.com

Skype: jorge.leija2; mauriciohinogue; juanjose_espir

Time Zone in Asia

Julián Guzmán Elisea (English and Spanish)

Tel. 86 21-60870378, 86 21 60870379

Móvil Tel.: 13917662545, 15601700371

QQ: 1835648062

Skype: julianguzman2009

Mail: jguzman@internationalgreeco.com

***Xiong Jiang Feng / Yutian Tian / Zhang Min
(English and Chinese Mandarin)***

Tel. 86 21-60870378, 86 21 60870379

Skype: candice.xiong16; blueicesszy; minmin881025

Mail: jfxiong@internationalgreenco.com; yutian@internationalgreenco.com;
zhangmin@internationalgreenco.com

